



ALPHATRON |  
Marine



Telephone system

# AlphaConnect Classic

Automatic telephone & talkbalk system

[www.jrc.am](http://www.jrc.am)



- ✓ Optimized for IMO/SOLAS requirements
- ✓ Approved according to IEC 60945
- ✓ Compact and robust design
- ✓ Analog, digital and VoIP based
- ✓ Adaptable and cost efficient in all configurations
- ✓ Dual power supply according to IMO regulations
- ✓ Easy configuration
- ✓ Type approved (DNV-GL/ABS/RMRS)

## Automatic telephone & talkback system

The purpose of the AlphaConnect maritime communication system is to give the seafarers easy and reliable onboard communication between all essential places onboard a ship, as well as allowing the possibility of making telephone calls to and from the ship. The system is DNV approved and complies with the IEC60945 standard for maritime electronic communication equipment, which will ensure years of problem free operation.

### *Telephone system*

- ✓ Calling between locations onboard
- ✓ Features typical functions (transfer, priority call)
- ✓ Calls via satellite communication/GSM

### *Public address (option)*

- ✓ Integrated via unique power amplifier concept
- ✓ Audio signals distributed through wired network
- ✓ Conference calls and music distribution

### *Talk back*

- ✓ Hailing to deck positions
- ✓ Handsfree operation on deck
- ✓ Push-to-talk operated from wheelhouse



P421

# Strong communication

The AlphaConnect Classic provides for onboard conversations between bridge, engine control room, various cabins and offices, workshops, on deck and so on. No matter whether it is dry, wet, noisy or dirty, all locations can be covered by a standard analog telephone or by one of our communication stations with handset, headset or loudhailer.

Calls from the ship to shore can be conducted from all places on board for example, meaning that crew can have their own privacy when calling home. Calls from shore to ship can be distributed to any location onboard, typically to bridge, captain's cabin or ship's office, but with our system you do not have to be on the bridge to answer your (satellite) call.

## Main cabinet

The AlphaConnect Classic system consists of three main components, which is the main cabinet, exchange circuit boards or modular cards and the various telephones and communications stations. The main cabinet is the central part of the system. All telephone lines are fitted inside this cabinet which also distributes power to the communication stations via the signal cables running through the vessel.

The AlphaConnect Classic consists of:

- ✓ 2 trunk lines (extendible)
- ✓ 7 free slots (up to 144 internal extensions and 4 trunk lines)
- ✓ (230VAC-) 24VDC, 20 to 50 W (power consumption)
- ✓ Dimensions: 505 x 372 x 179 mm (l x w x h)



## AlphaConnect 19-inch rack version

The AlphaConnect is available in a 19-inch rack version for vessels that require maximum telephones or communication stations. Or, for retrofit projects, when the old steel cabinet is going to be re-used.



# Expansion boards

In creating a system for the future, we wanted to provide an enormous amount of expansion to suit a broad spectrum of customer needs. Each board added provides new features. The AlphaConnect Classic has everything needed to build a professional automatic telephone and talkbalk system completely customized to what you need and what is required onboard.



### **Analog EXTension**

Connects 8, 16 or 24 analog telephones or communication stations. Creates gong sound when making PA call and generating of alarm tones.

AEXT8/16/24



### **Linux System Processor**

The LSP board is the brains of the system, executing the software. It also holds config files such as numbers, privilege settings, etc.

LSP



### **Flexible In Out**

Configure either as a 2 or 4 lines analog trunk or general purpose audio in/out. The boards are available as master or as slave function.

FIO2/4



### **Power Input Module**

Creates a common power entry point for the main 24V DC supply and the battery DC supply for the exchange system and stations.

PIM



### **Cable Termination Unit**

Makes the connection between the robust cables on vessels and the tiny connectors used on circuit boards.

CTU24



### **Integrated amplifier**

creates an automatic telephone and PA system, providing up to 60W power for 100V single speaker loop.

LV60



# Telephones

The AlphaConnect Hybrid is using analog and VoIP telephones or digital talkback systems for locations such as cabins or offices, typically dry, and places with room temperature and little to no noise.



AlphaPhone  
*100AS*  
Cabin station with display,  
phonebook and handsfree  
function. Suitable for  
wall mounting.



AlphaPhone  
*TX500*  
Cabin station with  
magnetized handset  
for wall mounting.

# Public Address

The AlphaConnect can distribute Public Address (PA) messages to all stations with loudspeakers. The system gives the possibility of defining groups with priority levels and can be set up to send a gong signal preceding a spoken message. PA calls are initiated from a telephone or communication station, and do not require special control stations with goose neck microphones.

The available power for this PA function is limited by the use of 60W amplifier(s). The optional integrated PA functionality is especially interesting for smaller vessels.



Loudspeaker

# Communication stations

Typically, for onboard locations such as the bridge, engine control and steering gear room, a simple telephone will not do. Our communication stations share the same mechanical foundation, PCB base design, connector pins and keyboard layout, allowing for straightforward system interchanging and easy to learn and adopt by the crew as operating these advanced telephones are always alike.



Simple and water tight talk back communication system, for on deck mooring stations.


Water tight and salt mist resistant industrial telephone, for engine spaces and on deck.

Full featured flush mount station with display, for bridge and engine control room.

Full featured water tight station with display, for engine spaces and on deck.

	P211	P220	P411	P421
Handset connection	X	V	V	V
Headset connection	V	V	V	V
Call relay	V	V	V	V
External speaker	V	X	V	V
External microphone	X	X	V	V
Display	X	X	V	V
Hands-free operation	X	X	V	V
Keys	3	15	21	21
Speed dial	X	X	V	V
IP class	65	65	22	65
Mounting style	Wall	Wall	Flush	Wall





## Handsets

The AlphaConnect is using analog telephones for locations such as cabins or offices, typically dry and places with room temperature and little to no noise. Optional handsets available for P220, P411 and P421. Both as a flush mounted versions (P411) and a version to be mounted to the telephone (P220 and P421). Also available in IP66.

## Headsets

The AlphaConnect is using analog telephones for locations such as cabins or offices, typically dry and places with room temperature. A noise-cancelling headset is available for TX500, P211, P220, P411 and P421.



## Call data management\*

A ship owner that wants to register calls made via the satellite equipment can make use of our call data management system. The crew are given user specific accounts and a PIN code, which are used to establish communication through to the satellite connection. When conversations are conducted, call data records are stored on the system disk, which includes information. With less room for error, the responsible officer keeps the overview and issuing invoices for the relevant calls is made straightforward.

\* only available together with a 19-inch rack version PBX system



[www.jrc.am](http://www.jrc.am)

Centers of Excellence  
Houston, Rotterdam, Singapore, Tokyo